Plant Science, 55 (1988) 281–284
Elsevier Scientific Publishers Ireland Ltd.

SUBJECT INDEX

Volume 55 (1988)

Acid phosphatase, wheat half-seeds, aleurones, amylase, induction, gibberellic acid, endosperm, amino acids, 185
Agrobacterium tumefaciens, gene transfer, nopaline synthase, kanamycin resistance, Ti plasmid, *Leguminosae*, 61
Aleurones, wheat half-seeds, α-amylase, acid phosphatase, induction, gibberellic acid, endosperm, amino acids, 185
Alkane biosynthesis, leaf wax, ester mass spectrometry, *Ilex aquifolium* lipids, 231
Allium cepa, *Vicia faba*, plant protoplasts, flow cytometry, fluorochromes, DNA, 151
Aloe barbadensis, callus, chromosome endoreduplication, cytophotometry, nuclear DNA content, plant regeneration, 53
Amino acid, wheat half-seeds, aleurones, α-amylase, acid phosphatase, induction, gibberellic acid, endoperm, 185
Aminopyrine, cytochrome *P*-450, *N*-demethylase, xenobiotic metabolism, *Helianthus tuberosus*, 9
AMPase, *Arachis hypogaea*, 5′-nucleotidase, Golgi apparatus, purification, 93
α-Amylase, wheat half-seeds, aleurones, acid phosphatase, induction, gibberellic acid, endosperm, amino acids, 185
Anther culture, *Triticum aestivum*, haploid, embryogenesis, 175
Arachis hypogaea, AMPase, 5′-nucleotidase, Golgi apparatus, purification, 93
—, seed encapsulation, nitrocellulose, ethyl-cellulose, carbohydrates, lipids and enzymes, 107

Barley, endosperm development, protease/enzyme inhibitor, gene expression, 255
Beta vulgaris, Na^+/H^+ antiport, *Hordeum vulgare*, *Zea mays*, cotransport, pH-gradient, 103
Bi- and trinucleate pollen, casein hydrolysate, pollen tube growth, 213
Biosynthesis of avenacosides, UDP-glucose, nuatigenin glucosyltransferase, enzymatic glucosylation of steroids, enzyme specificity, 239
Bryophyte, cell culture, diacylglyceryltrimethylhomoserine, *Marchantia*, lipid biosynthesis, 21

Callus, *Aloe barbadensis*, chromosome endoreduplication, cytophotometry, nuclear DNA content, plant regeneration, 53
—, isoperoxidases, *Pedilanthus*, phytoregulators, sucrose, temperature, 169
Carbohydrates, *Arachis hypogea*, seed encapsulation, nitrocellulose, ethyl-cellulose, lipids and enzymes, 107
Carboxylase activity, photoinhibition, *Phaseolus vulgaris*, rubisco, rubisco inhibitors, 191
Carboxypeptidase, marker enzymes, tonoplast, root, *Zea mays* L., 217
Carotenoid, vegetable marrow (*Cucurbita pepo* L.), membrane lipids, kinetin, chlorophyll, 87
—, chlorophyll, leaf development, millet, senescence, thylakoids, 129
Casein hydrolysate, pollen tube growth, bi- and trinucleate pollen, 213
Cell ageing, citrus exocortis viroid, intracellular space, senescence, 223
Cell culture, bryophyte, diacylglyceryltrimethylhomoserine, *Marchantia*, lipid biosynthesis, 21
Cell suspension cultures, differentiation, two-dimensional polyacrylamide electrophoresis, monocot, *Dactylis*, 267
Chlorophyll, carotenoids, leaf development, millet, senescence, thylakoids, 129
—, vegetable marrow (*Cucurbita pepo* L.), membrane lipids, kinetin, carotenoid, 87
Chloroplast, cytoplasmic male sterility, mitochondrial DNA, *Nicotiana africana*, protoplast fusion, 247
Chromosome endoreduplication, *Aloe barbadensis*, callus, cytophotometry, nuclear DNA content, plant regeneration, 53
Citrullus vulgaris, fusion, liposomes, pollen germination, polylysine, 69
Citrus exocortis viroid, intracellular space, senescence, cell ageing, 223
Cotransport, Na^+/H^+ antiport, *Beta vulgaris*, *Hordeum vulgare*, *Zea mays*, pH-gradient, 103
Cutin biosynthesis, *Pisum sativum* var. Meteor, cutin composition, GC-CIMS of hydroxyfatty acids, plant cuticular lipid, gibberellic acid, 115
Cutin composition, *Pisum sativum* Meteor, GC-CIMS of hydroxyfatty acids, cutin biosynthesis, plant cuticular lipid, gibberellic acid, 115
Cyanobacteria, pigment orientation, phycobilisome, photosynthesis, *Synechococcus* sp., 199
Cytochrome *P*-450, aminopyrine, *N*-demethylase, xenobiotic metabolism, *Helianthus tuberosus*, 9
Cytophotometry, *Aloe barbadensis*, callus, chromosome endoreduplication, nuclear DNA content, plant regeneration, 53
Cytoplasmic male sterility, chloroplast, mitochondrial DNA, *Nicotiana africana*, protoplast fusion, 247

Dactylis, cell suspension cultures, differentiation, two-dimensional polyacrylamide electrophoresis, monocot, 267
N-Demethylase, aminopyrine, cytochrome *P*-450, xenobiotic metabolism, *Helianthus tuberosus*, 9
Diacylglyceryltrimethylhomoserine, bryophyte, cell culture, *Marchantia*, lipid biosynthesis, 21
Differentiation, cell suspension cultures, two-dimensional polyacrylamide electrophoresis, monocot, *Dactylis*, 267
DNA, *Allium cepa*, *Vicia faba*, plant protoplasts, flow cytometry, fluorochromes, 151
DNA homology, plant mitochondrial DNA, molecular evolution, 18S rRNA gene, 33
DP-glucose, nuatigenin glucosyltransferase, enzymatic glucosylation of steroids, enzyme specificity, biosynthesis of avenacosides, 239

Embryogenesis, anther culture, *Triticum aestivum*, haploid, 175
—, *Trifolium pratense* L, tissue culture, somaclonal variation, isozymes, 159
Endosperm, wheat half-seeds, aleurones, amylase, acid phosphatase, induction, gibberellic acid, amino acids, 185
Endosperm development, barley, protease/enzyme inhibitor, gene expression, 255
Enzymatic glucosylation of steroids, UDP-glucose, nuatigenin glucosyltransferase, enzyme specificity, biosynthesis of avenacosides, 239
Enzyme specificity, UDP-glucose, nuatigenin glucosyltransferase, enzymatic glucosylation of steroids, biosynthesis of avenacosides, 239
Ester mass spectrometry, leaf wax, alkane biosynthesis, *Ilex aquifolium* lipids, 231
Ethephon, *Hevea brasiliensis*, latex, poly(A)$^+$RNA, rRNA levels, sucrose, 137
Ethyl-cellulose, *Arachis hypogea*, seed encapsulation, nitrocellulose, carbohydrates, lipids and enzymes, 107

Far-red stimulated luminescence, *Hordeum vulgare*, protoplasts, 1
Flow cytometry, *Allium cepa*, *Vicia faba*, plant protoplasts, fluorochromes, DNA, 151
Fluorochromes, *Allium cepa*, *Vicia faba*, plant protoplasts, flow cytometry, DNA, 151
Forage legumes, *Lotus tenuis*, tissue culture, protoplasts, plant regeneration, 77
Fusion, *Citrullus vulgaris*, liposomes, pollen germination, polylysine, 69

GC-CIMS of hydroxyfatty acids, *Pisum sativum* var. Meteor, cutin composition, cutin biosynthesis, plant cuticular lipid, gibberellic acid, 115
Gene expression, barley, endosperm development, protease/enzyme inhibitor, 255
—, lupin-*Rhizobium* symbiosis, nodulins, RNA analysis, 145
Gene transfer, nopaline synthase, kanamycin resistance, *Agrobacterium tumefaciens*, Ti plasmid, *Leguminosae*, 61
Gibberellic acid, *Pisum sativum* var. Meteor, cutin composition, GC-CIMS of hydroxyfatty acids, cutin biosynthesis, plant cuticular lipid, 115
—, wheat half-seeds, aleurones, α-amylase, acid phosphatase, induction, endosperm, amino acids, 185
Golgi apparatus, *Arachis hypogaea*, AMPase, 5′-nucleotidase, purification, 93

Haploid, anther culture, *Triticum aestivum*, embryogenesis, 175
Helianthus tuberosus, aminopyrine, cytochrome *P* -450, *N*-demethylase, xenobiotic metabolism, 9
Hevea brasiliensis, latex, poly(A)$^+$RNA, rRNA levels, sucrose, ethephon, 137
Homology, rice, repetitive DNA , long repeats short repeats, 43
Hordeum vulgare, far-red stimulated luminescence, protoplasts, 1
—, Na^+/H^- antiport, *Beta vulgaris*, *Zea mays*, cotransport, pH-gradient, 103

Ilex aquifolium lipids, leaf wax, ester mass spectrometry, alkane biosynthesis, 231
Induction, wheat half-seeds, aleurones, α-amylase, acid phosphatase, gibberellic acid, endosperm, amino acid, 185
Intracellular space, citrus exocortis viroid, senescence, cell ageing, 223
Isoperoxidases, callus, *Pedilanthus*, phytoregulators, sucrose, temperature, 169
Isozymes, *Trifolium pratense* L, tissue culture, embryogenesis, somaclonal variation, 159

Kanamycin resistance, gene transfer, nopaline synthase, *Agrobacterium tumefaciens*, Ti plasmid, *Leguminosae*, 61
Kinetin, vegetable marrow (*Cucurbita pepo* L.), membrane lipids, carotenoid, chlorophyll, 87

Latex, *Hevea brasiliensis*, poly(A)$^+$RNA, rRNA levels, sucrose, ethephon, 137
Leaf development, carotenoids, chlorophyll, millet, senescence, thylakoids, 129
Leaf wax, ester mass spectrometry, alkane biosynthesis, *Ilex aquifolium* lipids, 231
Leguminosae, gene transfer, nopaline synthase, kanamycin resistance, *Agrobacterium tumefaciens*, Ti plasmid, 61
Lipids and enzymes, *Arachis hypogea*, seed encapsulation, nitrocellulose, ethyl-cellulose, carbohydrates, 107
Lipid biosynthesis, bryophyte, cell culture, diacylglyceryltrimethylhomoserine, *Marchantia*, 21
Liposomes, *Citrullus vulgaris*, fusion, pollen germination, polylysine, 69
Long repeats, rice, repetitive DNA, short repeats, homology, 43

Lotus tenuis, forage legumes, tissue culture, protoplasts, plant regeneration, 77
Lupin-*Rhizobium* symbiosis, gene expression, nodulins, RNA analysis, 145

Marchantia, bryophyte, cell culture, diacylglyceryltrimethylhomoserine, lipid biosythesis, 21
Marker enzymes, carboxypeptidase, tonoplast, root, *Zea mays* L., 217
Membrane lipids, vegetable marrow (*Cucurbita pepo* L.), kinetin, carotenoid, chlorophyll, 87
Millet, carotenoids, chlorophyll, leaf development, senescence, thylakoids, 129
Mitochondrial DNA, chloroplast, cytoplasmic male sterility, *Nicotiana africana*, protoplast fusion, 247
Molecular evolution, plant mitochondrial DNA, DNA homology, 18S rRNA gene, 33
Monocot, cell suspension cultures, differentiation, two-dimensional polyacrylamide electrophoresis, *Dactylis*, 267

Na^+/H^+ antiport, *Beta vulgaris*, *Hordeum vulgare*, *Zea mays*, cotransport, pH-gradient, 103
Nicotiana africana, chloroplast, cytoplasmic male sterility, mitochondrial DNA, protoplast fusion, 247
Nitrocellulose, *Arachis hypogea*, encapsulation, ethyl-cellulose, carbohydrates, lipids and enzymes, 107
Nodulins, gene expression, lupin-*Rhizobium* symbiosis, RNA analysis, 145
Nopaline synthase, gene transfer, kanamycin resistance, *Agrobacterium tumefaciens*, Ti plasmid, *Leguminosae*, 61
Nuatigenin glucosyltransferase, UDP-glucose, enzymatic glucosylation of steroids, enzyme specificity, biosynthesis of avenacosides, 239
Nuclear DNA content, *Aloe arbadensis*, callus, chromosome endoreduplication, cytophotometry, plant regeneration, 53
5′-Nucleotidase, *Arachis hypogaea*, AMPase, Golgi apparatus, purification, 93

Pedilanthus, callus, isoperoxidases, phytoregulators, sucrose, temperature, 169
pH-gradient, Na^+/H^+ antiport, *Beta vulgaris*, *Hordeum vulgare*, *Zea mays*, cotransport, 103
Phaseolus vulgaris, photoinhibition, carboxylase activity, rubisco, rubisco inhibitors, 191
Phospholipase, *Solanum tuberosum*, proteolytic activation, protease, regulation, phospholipids, 205
Phospholipids, *Solanum tuberosum*, phospholipase, proteolytic activation, protease, regulation, 205
Photoinhibition, *Phaseolus vulgaris*, carboxylase activity, rubisco, rubisco inhibitors, 191
Photosynthesis, pigment orientation, phycobilisome, cyanobacteria, *Synechococcus* sp., 199
Phycobilisome, pigment orientation, cyanobacteria, photosynthesis, *Synechococcus* sp., 199
Phytoregulators, callus, isoperoxidases, *Pedilanthus*, sucrose, temperature, 169
Pigment orientation, phycobilisome, cyanobacteria, photosynthesis, *Synechococcus* sp., 199
Pisum sativum var. Meteor, cutin composition, GC-CIMS of hydroxyfatty acids, cutin biosynthesis, plant cuticular lipid, gibberellic acid, 115
Plant cuticular lipid, *Pisum sativum* var. Meteor, cutin composition, GC-CIMS of hydroxyfatty acids, cutin biosynthesis, gibberellic acid, 115
Plant mitochondrial DNA, DNA homology, molecular evolution, 18S rRNA gene, 33
Plant protoplasts, *Allium cepa*, *Vicia faba*, flow cytometry, fluorochromes, DNA, 151
Plant regeneration, *Aloe barbadensis*, callus, chromosome endoreduplication, cytophotometry, nuclear DNA content, 53
—, *Lotus tenuis*, forage legumes, tissue culture, protoplasts, 77
Pollen germination, *Citrullus vulgaris*, fusion, liposomes, polylysine, 69
Pollen tube growth, casein hydrolysate, bi- and trinucleate pollen, 213
Poly(A)$^+$RNA, *Hevea brasiliensis*, latex, rRNA levels, sucrose, ethephon, 137
Polylysine, *Citrullus vulgaris*, fusion, liposomes, pollen germination, 69
Protease, *Solanum tuberosum*, phospholipase, proteolytic activation, regulation, phospholipids, 205
Protease/enzyme inhibitor, barley, endosperm development, gene expression, 255
Proteolytic activation, *Solanum tuberosum*, phospholipase, protease, regulation, phospholipids, 205
Protoplasts, far-red stimulated luminescence, *Hordeum vulgare*, 1
—, *Lotus tenuis*, forage legumes, tissue culture, plant regeneration, 77
Protoplast fusion, chloroplast, cytoplasmic male sterility, mitochondrial DNA, *Nicotiana africana*, 247
Purification, *Arachis hypogaea*, AMPase, 5′-nucleotidase, Golgi apparatus, 93

rDNA recombination, RecA, *Vicia faba*, 27
RecA, rDNA recombination, *Vicia faba*, 27
Regulation, *Solanum tuberosum*, phospholipase, proteolytic activation, protease, phospholipids, 205
Repetitive DNA, rice, long repeats, short repeats, homology, 43
Rice, repetitive DNA, long repeats, short repeats, homology, 43
RNA analysis, gene expression, lupin-*Rhizobium* symbiosis, nodulins, 145
18S rRNA gene, plant mitochondrial DNA, DNA homology, molecular evoluation, 33
Root, carboxypeptidase, marker enzymes, tonoplast, *Zea mays* L., 217

rRNA levels, *Hevea brasiliensis*, latex, poly(A)⁺RNA, sucrose, ethephon, 137
Rubisco, photoinhibition, *Phaseolus vulgaris*, carboxylase activity, rubisco inhibitors, 191
Rubisco inhibitors, photoinhibition, *Phaseolus vulgaris*, carboxylase activity, rubisco, 191

Seed encapsulation, *Arachis hypogea*, nitrocellulose, ethylcellulose, carbohydrates, lipids and enzymes, 107
Senescence, carotenoids, chlorophyll, leaf development, millet, thylakoids, 129
–, citrus exocortis viroid, intracellular space, cell ageing, 223
Short repeats, rice, repetitive DNA, long repeats, homology, 43
Solanum tuberosum, phospholipase, proteolytic activation, protease, regulation, phospholipids, 205
Somaclonal variation, *Trifolium pratense* L, tissue culture, embryogenesis, isozymes, 159
Sucrose, callus, isoperoxidases, *Pedilanthus*, phytoregulators, temperature, 169
–, *Hevea brasiliensis*, latex, poly(A)⁺RNA, rRNA levels, ethephon, 137
Synechococcus sp., pigment orientation, phycobilisome, cyanobacteria, photosynthesis, 199

Temperature, callus, isoperoxidases, *Pedilanthus*, phytoregulators, sucrose, 169
Thylakoids, carotenoids, chlorophyll, leaf development, millet, senescence, 129
Tissue culture, *Lotus tenuis*, forage legumes, protoplasts, plant regeneration, 77
–, *Trifolium pratense* L, embryogenesis, somaclonal variation, isozymes, 159
Ti plasmid, gene transfer, nopaline synthase, kanamycin resistance, *Agrobacterium tumefaciens*, *Leguminosae*, 61
Tonoplast, carboxypeptidase, marker enzymes, root, *Zea mays* L., 217
Trifolium pratense L, tissue culture, embryogenesis, somaclonal variation, isozymes, 159
Triticum aestivum, anther culture, haploid, embryogenesis, 175
Two-dimensional polyacrylamide electrophoresis, cell suspension cultures, differentiation, monocot, *Dactylis*, 267

Vegetable marrow (*Cucurbita pepo* L.), membrane lipids, kinetin, carotenoid, chlorophyll, 87
Vicia faba, *Allium cepa*, plant protoplasts, flow cytometry, fluorochromes, DNA, 151
–, rDNA recombination, RecA, 27

Wheat half-seeds, aleurones, α-amylase, acid phosphatase, induction, gibberellic acid, endosperm, amino acids, 185

Xenobiotic metabolism, aminopyrine, cytochrome *P*-450, *N*-demethylase, *Helianthus tuberosus*, 9

Zea mays, Na^+/H^+ antiport, *Beta vulgaris*, *Hordeum vulgare*, cotransport, pH-gradient, 103
Zea mays L., carboxypeptidase, marker enzymes, tonoplast, root, 217

Plant Science, 55 (1988) 285–286
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Volume 55

Altman, A. 69
Arcioni, S. 77
Asahi, T. 247

Bajaj, K.L. 107
Bendich, A.J. 27
Bendich, A.J. 33
Bergamini Mulcahy, G. 213
Berry, M. 185
Boron, L. 145
Bowen, D.J. 115
Bricage, P. 169

Cavallini, A. 53
Chanson A. 217
Chu, C.C. 175
Conejero, V. 223

Dabak, M.M. 43
Das, J. 93
Dhar, M.S. 43
Durst, F. 9

Embry, J.L. 129

Farineau, J. 191
Fonne-Pfister, R. 9
Fritz, B. 151

Gad, A.E. 69
Gardestrom, P. 1
Gupta, S. 87
Gupta, V.S. 43

Hahne, G. 267
Hernández Yago, J. 223
Hill, R.D. 175
Holl, F.B. 159
Hsu, B.-D. 199

Jaarsma, J. 231
Jacoby, B. 103

Kalinowska, M. 239
Kato, K. 21
Komari, T. 247
Konieczny, A. 145
Kreis, M. 255
Kumashiro, T. 247

Lall, S. 185
Legocki, A.G. 145
Lorz, H. 267

Manners, J.M. 61
Mayer, J.E. 267
Mittal, R. 93
Moreau, R.A. 205
Morgan, C.P. 205
Morot-Gaudry, J.-F. 191
Mulcahy, D.L. 213
Mundy, J. 255

Nakamoto, H. 1
Natali, L. 53
Nothnagel, E.A. 129

Paul, Y. 87
Piccirilli, M. 77
Pilet, P.-E. 217
Przybylska, M. 145
Pupilli, F. 77

Ranjekar, P.K. 43
Rasmussen, U. 255
Rogers, S.O 27, 33

Sachar, R.C. 185
Salaun, J.-P. 9
Saluja, D. 185
Sanchez, I.C. 53
Sato, N. 21
Sharma, C.B. 93
Simon, A. 9
Singh, R. 107
Stuart, K. 33
Sundblad, L.-G. 1
Sundbom, E. 1
Suzuki, A. 191
Szczyglowski, K. 145

Teomy, S. 103
Toothman, P. 33
Tupý, J. 137

Ulrich, I. 151
Ulrich, W. 151

van Genderen, H.H. 231
Vera, P. 223
Verma, K. 107
Versluis, C. 231

Wadhwa, M. 107
Walton, T.J. 115
Wang, H. 159
Williamson, M.S. 255
Wojciechowski, Z.A. 239

Zeewi, B.-Z. 69

Plant Science, 55 (1988) 287 – 289
Elsevier Scientific Publishers Ireland Ltd.

VOLUME CONTENTS

Volume 55 (1988)

PHYSIOLOGY AND BIOCHEMISTRY

Far-red stimulated long-lived luminescence from barley protoplasts
by H. Nakamoto. L.-G. Sundbland, P. Gardeström and E. Sundbom (Umeå, Sweden) ..... 1 – 7

Xenobiotic metabolism in higher plants. Involvement of microsomal cytochrome *P*-450 in aminopyrine N-demethylation
by R. Fonne-Pfister, A. Simon, J.-P. Salaun and F. Durst (Strasbourg, France) ..... 9 – 20

Analysis and biosynthesis of diacylglyceryl-*N,N,N*-trimethylhomoserine in the cells of *Marchantia* in suspension culture
by N. Sato and K. Kato (Tokyo and Osaka, Japan) ..... 21 – 25

GENETICS AND MOLECULAR BIOLOGY

Recombination in *Escherichia coli* between cloned ribosomal RNA intergenic spacers from *Vicia faba*: a model for the generation of ribosomal RNA gene heterogeneity in plants
by S.O. Rogers and A.J. Bendich (Seattle, WA) ..... 27 – 31

Species specificity of mitochondrial DNA flanking the 18S rRNA gene in two species of Cucurbitaceae
by P. Toothman, S.O. Rogers, K. Stuart and A.J. Bendich (Seattle, WA) ..... 33 – 42

Organisation and properties of repeated DNA sequences in rice genome
by M.S. Dhar, M.M. Dabak, V.S. Gupta and P.K. Ranjekar (Pune, India) ..... 43 – 52

CELL AND TISSUE STUDIES IN VITRO

In vitro culture of *Aloe barbadensis* Mill.: morphogenetic ability and nuclear DNA content
by I.C. Sanchez, L. Natali and A. Cavallini (Merida, Mexico and Pisa, Italy) ..... 53 – 59

Transgenic plants of the tropical pasture legume *Stylosanthes humilis*
by J.M. Manners (St. Lucia, Australia) ..... 61 – 68

Fusion of germinating watermelon pollen tubes with liposomes
by A.E. Gad, B.-Z. Zeewi and A. Altman (Rehovot, Israel) ..... 69 – 75

Lotus tenuis Wald. & Kit.: in vitro conditions for plant regeneration from protoplasts and callus of various explants
by M. Piccirilli, F. Pupilli and S. Arcioni (Perugia, Italy) ..... 77 – 82

Announcements ..... 83 – 84

Erratum 85

PHYSIOLOGY AND BIOCHEMISTRY

Effect of kinetin (6-furfurylaminopurine) on changes in membrane lipids in relation to growth of isolated cotyledons of vegetable marrow (*Cucurbita pepo* L.)
by Y. Paul and S. Gupta (Ludhiana, India) ..... 87 – 92

Purification and characterization of 5′-nucleotidase from the Golgi apparatus of peanut cotyledons
by R. Mittal, J. Das and C.B. Sharma (Roorkee, India) ..... 93 – 101

Assessment of Na^+/H^+ antiport in ATP-depleted red beet slices and barley roots
by B. Jacoby and S. Teomy (Rehovot, Israel) ..... 103 – 106

Effect of seed encapsulation on the mobilization of the reserve material during germination in groundnut *Arachis hypogea* seeds
by M. Wadhwa, K. Verma, K.L. Bajaj and R. Singh (Ludhiana, India) ..... 107 – 113

Cutin composition and biosynthesis during gibberellic acid-induced stem extension of *Pisum sativum* var. Meteor
by D.J. Bowen and T.J. Walton (Bristol and Swansea, U.K.) 115–127
Leaf development and senescence in *Panicum miliaceum* L., a cereal with a short seed-to-seed cycle
by J.L. Embry and E.A. Nothnagel (Riverside, CA) 129–136
Ribosomal and polyadenylated RNA content of rubber tree latex, association with sucrose level and latex pH
by J. Tupý (Abidjan, Ivory Coast) 137–144

GENETICS AND MOLECULAR BIOLOGY
Expression of lupin nodulin genes during root nodule development
by A. Konieczny, K. Szczyglowski, L. Boron, M. Przybylska and A.G. Legocki (Poznan, Poland) 145–149
Application of DNA fluorochromes for flow cytometric DNA analysis of plant protoplasts
by I. Ulrich, B. Fritz and W. Ulrich (Stuttgart, F.R.G.) 151–158

CELL AND TISSUE STUDIES IN VITRO
In vitro culture and the incidence of somaclonal variation in regenerated plants of *Trifolium pratense* L.
by H. Wang and F.B. Holl (Vancouver, Canada) 159–167
The isoperoxidase pattern changes and the pigment changes of *Pedilanthus tithymaloides* L. *variegatus* calli as a result of sucrose concentration and phytoregulator content of the culture medium and daily temperature differences
by P. Bricage (Pau, France) 169–173
An improved anther culture method for obtaining higher frequency of pollen embryoids in *Triticum aestivum* L.
by C.C. Chu and R.D. Hill (Winnipeg, Canada) 175–181
Erratum 183

PHYSIOLOGY AND BIOCHEMISTRY
Differential rates of α-amylase and acid phosphatase induction by GA_3 in embryoless half-seeds and isolated aleurones of wheat
by S. Lall, M. Berry, D. Saluja and R.C. Sachar (Delhi, India) 185–190
Changes in the activation state of rubisco in bean leaves in relation to recovery of photosynthetic activity after various treatments
by J. Farineau, A. Suzuki and J.-F. Morot-Gaudry (Versailles, France) 191–198
Orientation of the terminal pigments in the phycobilisome core of *Synechococcus* sp.
by B.-D. Hsu (Taiwan, Repubic of China) 199–203
Proteolytic activation of a lipolytic enzyme activity in potato leaves
by R.A. Moreau and C.P. Morgan (Philadelphia, PA) 205–211
The effect of supplemented media on the growth in vitro of bi- and trinucleate pollen
by G. Bergamini Mulcahy and D.L. Mulcahy (Amherst, MA) 213–216
Subcellular localization of a carboxypeptidase activity in maize root homogenates
by A. Chanson and P.-E. Pilet (Lausanne, Switzerland) 217–221
Immunocytochemical localization of the major "pathogenesis-related" (PR) protein of tomato plants
by P. Vera, J. Hernández Yago and V. Conejero (Valencia, Spain) 223–230
Long chain pentyl- and hexyl-esters and other lipoids in leaf wax of *Ilex aquifolium* L. (Aquifoliaceae)
by H.H. van Genderen, J. Jaarsma and C. Versluis (Utrecht, The Netherlands) 231–238
Substrate specificity of partially purified UDP-glucose: nuatigenin glucosyltransferase from oat leaves
by M. Kalinowska and Z.A. Wojciechowski (Warsaw, Poland) 239–245

GENETICS AND MOLECULAR BIOLOGY

A new source of cytoplasmic male sterile tobacco obtained by fusion between *Nicotiana tabacum* and X-irradiated *N. africana* protoplasts
by T. Kumashiro, T. Asahi and T. Komari (Shizuoka, Japan) 247–254

Differential effects of the Hiproly *lys 1* gene on the developmental synthesis of (lysine-rich) proteins from barley endosperm
by U. Rasmussen, M.S. Williamson, J. Mundy and M. Kreis (Valby, Denmark and Harpenden, U.K.) . 255–266

CELL AND TISSUE STUDIES IN VITRO

Embryogenic and callus-specific proteins in somatic embryogenesis of the grass, *Dactylis glomerata* L.
by G. Hahne, J.E. Mayer and H. Lörz (Köln, F.R.G.) 267–279

Subject Index Volume 55 281–284
Author Index Volume 55 285–286
Contents Volume 55 287–289